

| FACILITYIO IA | IFORMATION. |
|--|--|
| FACILITY'S IN | State License No.: |
| Facility Name: | |
| Type of Facility: □Foster Homes □Group Ho | ome □Residential Habilitation Center |
| Contact Person: | Phone Number: |
| Street Address: | |
| City, State, Zip: | |
| Submitted By: | Phone Number: |
| The following minimum criteria are to be used Plans (CEMP) for licensure of residential facilities 393.067, F.S. The criteria will serve as the recalso serve as the compliance review documentupon submission for review and approval pursuance criteria are not intended to limit or exclude to include in their plans in order to satisfy other rethat have been made for emergency prepared in the plan will not be subject to approval by countricks. | es licensed under 65G-2.010, F.A.C and Chapter ommended plan format for the CEMP, and will to for county emergency management agencies ant to Chapter 252, Florida Statutes. The additional information that facilities may decide requirements, or to address other arrangements ess. Any additional information which is included |
| This form must be attached to your facility's comsubmission for approval to the county emerge reference to your plan, by listing the page numbin your plan on the line to the left of each item. I plan by the county emergency management age NOTE: To ensure an expedited and accurate this crosswalk as a cross reference to your por tab in the column titled "Indicate Location the receipt of a plan to start the initial review | ency management agency. Use it as a cross- per and paragraph where the criteria are located. This will ensure accurate review of your facility's ency. review of your facility's CEMP, please use plan by listing the page number(s), sections are. Secondly, our agency has 60 days after |
| For Officia | · |
| Date Received: | Initial Review: |
| Second Review: | Third Review: |
| Approved: □Yes □No | Approval Date |
| Reviewed By: | Title: |

Page 1 Created: 9/2/2022; 3/16/2023



| I. FACILITY OVERVIEW | | | | |
|----------------------|---|--|---|-------------------|
| | CROSSWALK CRITERIA | Indicate Location (page #, section, tab) | Actual Location (MCEMA Use Only) | Meets Criteria |
| | e minimum criteria satisfy the basic emergency management plar | | | |
| | and Rule Chapter 65G-2.010, F.A.C., for Licensure of Residential | Facilities P | rovide bas | sic |
| | mation concerning the facility to include: | ı | | |
| Α | Name of the facility, address, telephone number, emergency | | | |
| | contact telephone number, fax numbers, type of facility, and state | | | |
| | license number. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| В | Owner of facility, address, and telephone number. | | | |
| | · | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| С | Name of designated facility apprature address, work/home | | | |
| C | Name of designated facility operator, address, work/home telephone numbers, as well as name of alternate facility operator, | | | |
| | their address, and work/home telephone numbers. | | | |
| Povio | wer Comments (MCEMA use only) | | | <u> </u> |
| Kevie | wer comments (MCEMA use only) | | | |
| | | | | |
| D | Identification, by name and title, the individual staff member in | | | |
| | charge during an emergency and one alternative person, should | | | |
| | that person be unable to serve in that capacity. | | | |
| | | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| E | Organizational chart, identifying chain of command, and including | | | |
| | phone numbers, with key management positions identified, and | | | |
| | hierarchy of authority during emergencies. | | | |
| Rovio | wer Comments (MCEMA use only) | | | |
| IZEVIE | wer comments (MCLIMA use only) | | | |
| | | | | |
| F | Site specific information concerning the facility to include: | | | |
| | 1. Year facility was built, type of construction, date of any | | | |
| | subsequent construction, and any actions to protect and | | | |
| | fortify the facility, such as: hurricane shutters and straps, | | | |
| | gable end bracing, engineer inspections, etc. | | | |
| | Number of facility beds, maximum number of residents on | | | |
| | site, average number of residents on site, gender, and age | | | |
| | range of residents served. | | | |
| | 3. Type of residents served by the facility to include but not | | | |
| | limited to: | | | |
| | a. Ambulatory without assistance of any kind | | | |
| | Require only human assistance with mobility | | | |

Page 2



| wheelchairs, walkers, etc. d. Require both human assistance and mechanical devices for mobility e. Require special medical or electrical equipment for survival, such as oxygen, ventilators, dialysis, electric wheelchairs, etc. f. Require intensive personal assistance or supervision due to medical or behavioral needs. Reviewer Comments (MCEMA use only) | | c. Require only mechanical devices for mobility such as | | | |
|--|--------|---|----------------------|--------|----------|
| devices for mobility e. Require special medical or electrical equipment for survival, such as oxygen, ventilators, dialysis, electric wheelchairs, etc. f. Require intensive personal assistance or supervision due to medical or behavioral needs. | | wheelchairs, walkers, etc. | | | |
| e. Require special medical or electrical equipment for survival, such as oxygen, ventilators, dialysis, electric wheelchairs, etc. f. Require intensive personal assistance or supervision due to medical or behavioral needs. Reviewer Comments (MCEMA use only) | | | | | |
| survival, such as oxygen, ventilators, dialysis, electric wheelchairs, etc. f. Require intensive personal assistance or supervision due to medical or behavioral needs. Reviewer Comments (MCEMA use only) II. HAZARD ANALYSIS CROSSWALK CRITERIA Indicate Location (page #, section, (page #, section, page #, s | | • | | | |
| electric wheelchairs, etc. f. Require intensive personal assistance or supervision due to medical or behavioral needs. Reviewer Comments (MCEMA use only) II. HAZARD ANALYSIS CROSSWALK CRITERIA Indicate Location (page 8), section, (page | | | | | |
| f. Require intensive personal assistance or supervision due to medical or behavioral needs. Reviewer Comments (MCEMA use only) II. HAZARD ANALYSIS CROSSWALK CRITERIA Indicate Location (page #, section, page #, page page page page page page page page | | | | | I |
| Reviewer Comments (MCEMA use only) II. HAZARD ANALYSIS | | · | | | I |
| CROSSWALK CRITERIA Indicate Location (page #, section, Incidence Incidenc | | | | | |
| CROSSWALK CRITERIA Indicate Location (page #, section, Incidence Incidenc | | | | | |
| CROSSWALK CRITERIA Indicate Location (page #, section, tab) | Revie | wer Comments (MCEMA use only) | | | |
| CROSSWALK CRITERIA Indicate Location (page #, section, tab) | | | | | |
| A Describe the potential hazards that the facility is vulnerable to, such as hurricanes, tornadoes, flooding, fires, hazardous materials, incidents from radiological emergencies (i.e. Nuclear Power Plants) or transportation accidents, power outages during severe cold or hot weather, public health emergency (i.e. pandemic), etc. Some of this information may be available from the county emergency management agency. <i>Indicate past history and lessons learned</i> . Reviewer Comments (MCEMA use only) B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) | | II. HAZARD ANALYSIS | | | |
| A Describe the potential hazards that the facility is vulnerable to, such as hurricanes, tornadoes, flooding, fires, hazardous materials, incidents from radiological emergencies (i.e. Nuclear Power Plants) or transportation accidents, power outages during severe cold or hot weather, public health emergency (i.e. pandemic), etc. Some of this information may be available from the county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) | | | Indicate | Actual | Meets |
| such as hurricanes, tornadoes, flooding, fires, hazardous materials, incidents from radiological emergencies (i.e. Nuclear Power Plants) or transportation accidents, power outages during severe cold or hot weather, public health emergency (i.e. pandemic), etc. Some of this information may be available from the county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B | | CROSSWALK CRITERIA | (page #, section, | (MCEMA | Criteria |
| materials, incidents from radiological emergencies (i.e. Nuclear Power Plants) or transportation accidents, power outages during severe cold or hot weather, public health emergency (i.e. pandemic), etc. Some of this information may be available from the county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. "Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils "Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) | Α | • | | | |
| Power Plants) or transportation accidents, power outages during severe cold or hot weather, public health emergency (i.e. pandemic), etc. Some of this information may be available from the county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | | | | |
| severe cold or hot weather, public health emergency (i.e. pandemic), etc. Some of this information may be available from the county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B | | , | | | |
| pandemic), etc. Some of this information may be available from the county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) | | | | | |
| county emergency management agency. Indicate past history and lessons learned. Reviewer Comments (MCEMA use only) B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) | | | | | |
| Reviewer Comments (MCEMA use only) B | | 1 . | | | |
| B Identification of which hurricane evacuation zone the facility is in, from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | | | | |
| from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | Revie | wer Comments (MCEMA use only) | | | |
| from county emergency management or Regional Planning Councils. *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | В | Identification of which hurricane evacuation zone the facility is in. | | | |
| *Please visit https://www.martin.fl.us/EvacuationZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | | | | |
| map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | Councils. | | | |
| Reviewer Comments (MCEMA use only) C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | | | | |
| C Identification of which flood zone facility is in as identified on Flood Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | D | | | | <u>i</u> |
| Insurance Rate Map, from county emergency management or Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | Revie | wer Comments (MCEMA use only) | | | |
| Regional Planning Councils *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | С | | | | |
| *Please visit https://www.martin.fl.us/FloodZones (include the map showing the facility's address as an attachment) Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | | | | |
| Showing the facility's address as an attachment | | | | | |
| Reviewer Comments (MCEMA use only) D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | | | | | |
| D Proximity of facility to a railroad or major transportation artery (per hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | Revie | | | | |
| hazardous materials incidents). Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | IXCVIC | wer comments (McEMA accomy) | | | |
| Reviewer Comments (MCEMA use only) E Identify if facility is located within the 10-mile or 50-mile emergency | D | Proximity of facility to a railroad or major transportation artery (per | | | |
| E Identify if facility is located within the 10-mile or 50-mile emergency | | , | | | |
| | Revie | wer Comments (MCEMA use only) | | | |
| | E | Identify if facility is located within the 10-mile or 50-mile emergency | | | |
| | | | | | |

Page 3



| | management (attach a map showing the distance from your facility | | | | | | |
|---------|--|-------------------|-----------------|-------------|--|--|--|
| | to 6501 S. Ocean Drive, Jensen Beach 34957) | | | | | | |
| Reviev | Reviewer Comments (MCEMA use only) | | | | | | |
| | | | | | | | |
| | III. CONCEPT OF OPERATION | | | | | | |
| This s | ection of the plan defines the policies, procedures, responsibilities | es, and act | ions that tl | ne facility | | | |
| will ta | ke before, during and after any emergency situation. At a minin | num, the fa | cility plan | needs to | | | |
| addre | ss direction and control; notification; and evacuation and shelter | ring. | | | | | |
| A. D | irection, Control, and Continuity of Operations | | | | | | |
| | the management function for emergency operations. Direction and c | | de a basis t | or | | | |
| decisio | on making and identifies who has the authority to make decisions for t | | | | | | |
| | | Indicate | Actual | Meets | | | |
| | CROSSWALK CRITERIA | Location (page #, | Location (MCEMA | Criteria | | | |
| | | section, | Ùse Only) | | | | |
| 1 | Identify, by name and title, who is in charge during an emergency | tab) | | | | | |
| ' | and one alternate, should that person be unable to serve in that | | | | | | |
| | capacity. | | | | | | |
| Reviev | ver Comments (MCEMA use only) | | | | | | |
| | - | | | | | | |
| | | | | | | | |
| 2 | Identify the chain of command to ensure continuous leadership | | | | | | |
| | and authority in key positions. | | | | | | |
| Davies | way Cammanta (MCCMA was anky) | | | | | | |
| Reviev | ver Comments (MCEMA use only) | | | | | | |
| | | | | | | | |
| 3 | State the procedures to ensure timely staffing of the facility in | | | | | | |
| | emergency functions. State the provisions for emergency | | | | | | |
| | workers' families? | | | | | | |
| Review | ver Comments (MCEMA use only) | | | | | | |
| | | | | | | | |
| 4 | | | | | | | |
| 4 | State the operational support roles for all facility staff. (This will be | | | | | | |
| | accomplished through the development of Standard Operating Procedures which must be attached to this plan.) | | | | | | |
| Reviev | ver Comments (MCEMA use only) | | | | | | |
| | | | | | | | |
| | | | | | | | |

| 5 | State the procedures to ensure the following needs are supplied: a. Food, water, and sleeping arrangements. Sleeping arrangements for residents should also be considered | | | |
|---------|--|----------|---|--|
| | for isolation or quarantine during a public health | | | |
| | emergency. | | | |
| | Medication supplies and refills, current medication administration records ("MAR") and blank MAR forms. | | | |
| | c. Supplies necessary during a public health emergency, | | | |
| | such as thermometers, personal protective equipment (disposable gloves, face masks, eye shields or goggles, | | | |
| | protective gowns), cleaning and disinfectant supplies | | | |
| | d. Transportation (may be covered in the evacuation section). | | | |
| | e. At least 72-hour supply of all essential supplies | | | |
| Revie | ver Comments (MCEMA use only) | | | |
| | | | | |
| 6 | Emergency power sources. (Indicate what is applicable in the | | | |
| | facility.) | | | |
| | a. Generator | | | |
| | i. Type (fixed or portable, wattage). | | | |
| | ii. Generation Capacity-what fixtures or systems can | | | |
| | be operated by the generator (entire facility, including air conditioning and/or heat. If not entire | | | |
| | facility, indicate what sections are powered by the | | | |
| | generator). | | | |
| | iii. Fuel type and source. | | | |
| | iv. Identify person responsible for ensuring fuel | | | |
| | supply. | | | |
| | v. Amount of fuel to be stored and where located. | | | |
| | vi. Methods of obtaining additional fuel (attach | | | |
| | contracts with fuel providers, etc.). | | | |
| | vii. Maintenance and testing of generator (identify | | | |
| | responsible staff and the frequency). b. Staff training on generator operation | | | |
| Revie | ver Comments (MCEMA use only) | | | |
| 1101101 | commonio (mo <u>_</u> | | | |
| 7 | Drovinions for 24 hour staffing on a continuous basis until the | <u> </u> | - | |
| / | Provisions for 24-hour staffing on a continuous basis until the emergency has abated. In a public health emergency staffing | | | |
| | provisions should include back-up staffing in case staff are ill or | | | |
| | quarantined. | | | |
| D Na | atification | 1 | | |

B. Notification

Procedures must be in place for the facility to receive timely information on impending threats and the alerting of facility decision makers, staff, residents, and their parents or guardians, of potential emergency conditions. Notification procedures for public health emergencies should include notifications of required screening questions, restrictions on visitation and other activities, and reporting illness/disease outbreaks to facility decision makers, staff, residents, parents and guardians, local department of health office, and APD.

Page 5



| | CROSSWALK CRITERIA | Indicate Location (page #, | Actual Location (MCEMA | Meets Criteria |
|------------|---|----------------------------------|------------------------|-------------------|
| | | section, | Use Only) | |
| 1 | Define how the facility will receive warnings, to include off hours and weekends/holidays. | , | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| 2 | Identify the facility's 24-hour contact number, if different than the number listed in introduction. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | nor comments (mc _mr ucc cmg) | | | |
| 3 | Define how the key staff will be alerted. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| 4 | Define the procedures and policies for reporting to work for key | | | |
| | workers. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| 5 | Define how residents will be alerted and the precautionary | | | |
| Revie | measures that will be taken wer Comments (MCEMA use only) | | | L |
| | | | | |
| 6 | Identify alternative means of notification should the primary system | | | |
| | fail. Examples include, but are not limited to battery-operated or | | | |
| | hand-crank weather radios, back-up cell phones, two-way radios, etc.). | | | |
| | | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| 7 | Identify procedures for notifying those facilities to which facility | | | |
| Davis | residents will be evacuated to. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| C | Identify precedures for notifying ADD weight support asserting to a | <u> </u> | | |
| 8 | Identify procedures for notifying APD, waiver support coordinators, families, and authorized representatives or guardians of residents if | | | |
| D : | the facility is being evacuated. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |

Page 6



| | vacuation | | | . |
|-------|--|--|---|-------------------|
| Descr | ibe the policies, roles, responsibilities, and procedures for the evacuat | | | |
| | CROSSWALK CRITERIA | Indicate Location (page #, section, tab) | Actual Location (MCEMA Use Only) | Meets Criteria |
| 1 | Identify the individual responsible for implementing facility evacuation procedures. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| 2 | Identify transportation arrangements made through mutual aid agreements or understandings that will be used to evacuate residents (copies of the agreements must be attached). These agreements will include when transportation and evacuation will begin during an emergency. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| 3 | Describe transportation arrangements for logistical support to include moving records, medications, food, water, and other necessities | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| 4 | Identify the pre-determined locations where residents will evacuate to (based on the resident needs and their Personal Disaster Plans). There should be three evacuation options identified in different geographic areas (one close by, one in a different area of the county, and one outside of the county). A general population or special needs shelter must not be the primary or secondary evacuation option – these should only be utilized as a last resort. Any cost incurred for shelter options during an evacuation is the responsibility of the licensee. | | | |
| | Note: When selecting evacuation locations, select locations that are not in an evacuation zone. | | | ı |
| | Examples for Sheltering: a. A family home of a resident or the personal home of the licensee b. A designated licensed facility, such as a group home or assisted living facility c. Hotel d. Adult day training site e. Other (explain) | | | |
| Revie | wer Comments (MCEMA use only) | | | |

Page 7



| 5 | Provide copies of the mutual aid agreements that have been | | |
|--------|---|----------|--|
| | entered into with the owner/operator of each evacuation location to | | |
| | receive residents (current, signed each year). These agreements | | |
| | will include when these locations will be notified of a potential | | |
| | evacuation | | |
| Revie | wer Comments (MCEMA use only) | | |
| | | | |
| 0 | I de sette e conservation de la | | |
| 6 | Identify evacuation routes that will be used and secondary routes | | |
| | that would be used should the primary route be impassable. Refer | | |
| Povio | to the local emergency management website. wer Comments (MCEMA use only) | | |
| IVENIE | wer comments (wichwig use only) | | |
| | | | |
| 7 | Specify the amount of time it will take to successfully evacuate all | | |
| | residents to the receiving location. Keep in mind that in hurricane | | |
| | evacuations, all movement should be completed before the arrival | | |
| | of tropical storm winds (39 mph winds). This information may be | | |
| | available from the county emergency management agency, or | | |
| | Regional Planning Council. | | |
| Revie | wer Comments (MCEMA use only) | | |
| | | | |
| 8 | Identify which facility staff will accompany evacuating residents and | | |
| U | will remain with the residents in the shelter location. If all other | | |
| | evacuation options are unavailable and a Special Needs Shelter is | | |
| | the only remaining shelter option, there must be facility staff that | | |
| | will accompany residents to the shelter and remain with residents | | |
| | for the duration of their stay at the shelter. <i>Note: Evacuation to a</i> | | |
| | Special Needs Shelter requires submittal of an application to the | | |
| | county emergency management agency as part of pre-planning | | |
| | and prior to evacuation. | | |
| Revie | wer Comments (MCEMA use only) | | |
| | | | |
| 9 | Identify procedures that will be used to keep track of residents and | | |
| 9 | where they have been evacuated to (include a copy of the log | | |
| | system). | | |
| Revie | wer Comments (MCEMA use only) | | |
| | 3, | | |
| | | | |
| 10 | Ensure each resident has a Personal Disaster Plan of their own | | |
| D | and attach a copy of their plans. | | |
| Kevie | wer Comments (MCEMA use only) | | |
| | | | |
| 11 | Determine what and how much medication each resident will | | |
| | require. | | |
| Revie | wer Comments (MCEMA use only) | <u>.</u> | |
| | | | |

Page 8



| 12 | Determine the pre-positioning of necessary medical supplies and | | | |
|-------------------------------------|--|--|-------------------------------|-------------------------|
| Reviev | provisions. wer Comments (MCEMA use only) | | | |
| 1101101 | commonio (mo <u>_</u> , t doo c ,) | | | |
| | | | | |
| 13 | Determine what and how much each resident should take. Provide | | | |
| | for a minimum 72-hour stay, with provisions to extend this time | | | |
| Davies | frame if the disaster is of catastrophic magnitude wer Comments (MCEMA use only) | | | |
| Reviev | wer Comments (MCEMA use only) | | | |
| | | | | |
| 14 | Establish procedures for responding to family inquiries about | | | |
| | residents who have been evacuated. | | | |
| Review | ver Comments (MCEMA use only) | | | |
| | | | | |
| 15 | Identify an acific staff who will provide information and maintain | | | |
| 15 | Identify specific staff who will provide information and maintain contact with both the local office of emergency management, and | | | |
| | APD within 6 hours of the facility's evacuation. Reporting to both | | | |
| | entities must continue every six hours until the evacuation is | | | |
| | complete. | | | |
| Review | ver Comments (MCEMA use only) | | | |
| | | | | |
| D D | F. (| | | |
| D. K | D-FNTRV and Relinitication | | | |
| | e-Entry and Reunification | مانمو سممنام | nto to vo on | ton the |
| Once | a facility has been evacuated, procedures need to be in place for allow | wing reside | nts to re-en | ter the |
| | a facility has been evacuated, procedures need to be in place for allow | _ | | |
| Once | a facility has been evacuated, procedures need to be in place for allow. | wing reside Indicate Location | nts to re-en Actual Location | ter the Meets Criteria |
| Once | a facility has been evacuated, procedures need to be in place for allow | Indicate Location (page #, | Actual Location (MCEMA | Meets |
| Once | a facility has been evacuated, procedures need to be in place for allow. | Indicate Location | Actual Location | Meets |
| Once | a facility has been evacuated, procedures need to be in place for allow. CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 | crosswalk criteria Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. wer Comments (MCEMA use only) | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review | CROSSWALK CRITERIA Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) Identify how residents will be transported from the host facility back | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) Identify how residents will be transported from the host facility back to their home facility and identify how you will receive accurate and | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review 2 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) Identify how residents will be transported from the host facility back to their home facility and identify how you will receive accurate and timely data on re-entry operations. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review 2 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) Identify how residents will be transported from the host facility back to their home facility and identify how you will receive accurate and | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review 2 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) Identify how residents will be transported from the host facility back to their home facility and identify how you will receive accurate and timely data on re-entry operations. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |
| Once facility 1 Review 2 Review | Identify who the responsible person(s) is for contacting county emergency management to determine timing for re-entry into the facility, when the evacuation has been mandated by county emergency management. Wer Comments (MCEMA use only) Identify procedures for inspection of the facility to ensure it is structurally sound and can meet the needs of the residents. Wer Comments (MCEMA use only) Identify how residents will be transported from the host facility back to their home facility and identify how you will receive accurate and timely data on re-entry operations. | Indicate Location (page #, section, | Actual Location (MCEMA | Meets |

Page 9 Created: 9/2/2022; 3/16/2023



| | coordinators will be notified when residents have been returned to the facility. | | | |
|---------|---|------------------------|---------------------|-------------------|
| Reviev | ver Comments (MCEMA use only) | | | |
| | | | | |
| 5 | State the procedures to ensure timely staffing of the facility. State | | | |
| | the provisions for emergency workers' families | | | |
| Reviev | ver Comments (MCEMA use only) | | | |
| | | | | |
| E. Ho | st Sheltering | | | |
| | acility is to be used as a shelter for an evacuating facility, the plan mus | | | |
| | dures that will be used once the evacuating facility residents arrive. T ance of proper care for the current residents as well as the additional | | | |
| | es of residents' will not be jeopardized by exceeding the licensed capa | | | |
| | e used as a host facility, please provide a statement.) | | | |
| | | Indicate Location | Actual Location | Meets Criteria |
| | CROSSWALK CRITERIA | (page #, section, tab) | (MCEMA Use Only) | Orneria |
| 1 | Describe the procedures for communicating with the evacuating | | | |
| | facility to determine if and when the evacuation will begin. | | | |
| Review | l ver Comments (MCEMA use only) | | | |
| | , | | | |
| 2 | Describe the receiving procedures for arriving residents from | 1 | | |
| 2 | evacuating facility. | | | |
| Reviev | ver Comments (MCEMA use only) | | | |
| | | | | |
| 3 | Identify where additional residents will be housed. Provide a floor | | | |
| | plan which identifies the space allocated for additional residents. | | | |
| Reviev | ver Comments (MCEMA use only) | | | |
| | | | | |
| 4 | Identify provisions of additional food, water, medical needs of | | | |
| | those residents being housed at the receiving facility for a | | | |
| Review | minimum of 72 hours. ver Comments (MCEMA use only) | | | |
| IXCVICV | ver comments (moema use omy) | | | |
| _ | | 1 | | |
| 5 | Describe the procedures for ensuring 24-hour operations with the potential for increased staffing due to the increased number of | | | |
| | residents. | | | |
| Review | ver Comments (MCEMA use only) | • | | |
| | | | | |
| 6 | Describe procedures for providing sheltering for family members of | | | |
| | critical workers. | | | |
| Review | ver Comments (MCFMA use only) | | | |

Page 10



| 7 | Include in the procedures which staff will notify APD within 48 | | | |
|------------------|---|----------------------|---------------------|----------|
| | hours of the sheltering of evacuees which will result in the host | | | |
| | facility exceeding their licensed capacity. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| 8 | Describe procedures for tracking additional residents sheltered | | | |
| | within the facility (such as a log listing the additional people, | | | |
| | including the individual's names, usual address and the dates of | | | |
| | arrival and departure). | | | |
| Revie | ver Comments (MCEMA use only) | | | |
| | | | | |
| 9 | Describe contingency planning in the event that the host facility must | | | |
| | also evacuate with the residents from the evacuating facility. | | | |
| Revie | wer Comments (MCEMA use only) | • | • | |
| | | | | |
| | IV INCORMATION TRAINING AND EV | | | |
| - | IV. INFORMATION, TRAINING, AND EX | | | |
| | section shall identify the procedures for increasing employee and gency situations and providing training on their emergency roles before | | | |
| emerg | pericy situations and providing training on their emergency roles before | Indicate | Actual | Meets |
| | CROSSWALK CRITERIA | Location | Location | Criteria |
| | | (page #, section, | (MCEMA Use Only) | |
| | | tab) | osc omy) | |
| | entify how key workers will be instructed in their emergency roles | | | |
| | ring non-emergency times. | | | |
| Revie | wer Comments (MCEMA use only) | | | |
| | | | | |
| B. Ide | entify a training schedule for all employees and identify the provider | | | |
| | the training. | | | |
| Revie | ver Comments (MCEMA use only) | | | |
| | | | | |
| C. Ide | entify the provisions for training new employees regarding their | | | |
| | saster related roles). | | | |
| | ver Comments (MCEMA use only) | | | |
| | | | | |
| <u> </u> | | | | |
| | | Γ | T | |
| | entify a schedule for exercising all or portions of the disaster plan on | | | |
| an | annual basis. | | | |
| an | · · · · · · · · · · · · · · · · · · · | | | |
| Review | annual basis. wer Comments (MCEMA use only) | | | |
| Review E. Ide | entify the location within the facility where a copy of the current, | | | |
| Review E. Ide | annual basis. wer Comments (MCEMA use only) | | | |

Page 11



| Revie | ewer Comments (MCEMA use only) | | | |
|-------|--|--|---|-------------------|
| | stablish procedures for correcting deficiencies noted during training xercises. | | | |
| Revie | ewer Comments (MCEMA use only) | | | |
| | V. ATTACHMENTS | | | |
| | CROSSWALK CRITERIA | Indicate Location (page #, section, tab) | Actual Location (MCEMA Use Only) | Meets Criteria |
| Α | Facility Organizational Chart (showing all personnel). | | | |
| Revie | ewer Comments (MCEMA use only) | | | |
| Revie | Roster of employees and companies with key disaster roles: 1. List the names, addresses, and telephone numbers of all staff with disaster related roles. 2. List the names of the company, contact person, telephone number, and addresses of emergency service providers such as: transportation, emergency power, fuel, water, police, fire, Red Cross, Health Department, and local emergency management, etc | | | |
| С | Emergency Response Standard Operating Procedures. | | | |
| Revie | ewer Comments (MCEMA use only) | | | |
| *D | Agreements and Understandings: 1. Provide copies of any mutual aid agreements entered into pursuant to the fulfillment of this plan. This is to include reciprocal host facility agreements, transportation agreements, current vendor agreements or any other agreement needed to ensure the operational integrity of this plan. *Please complete Table D.1 below. 2. A copy of the facility floor plan identifying the space allocated for additional residents if the facility is serving as a host shelter ever Comments (MCEMA use only) | | | |
| D 1 | Agreements, Understandings, and Contracts: | | | |

Page 12



| Please complete the table by listing the information for each category. If a category does not apply, please indicate "N/A". | | | | | | | | | |
|--|------------------------|----------------|--------------------|-------------------|--|--|--|--|--|
| Host Shelters MOUs | | | | | | | | | |
| | Name of Agency | Date Signed | Expiration Date | Meets Criteria | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Transportation Agreements (i.e., charter bus, rental, etc.) | | | | | | | | | |
| | Name of Company | Date Signed | Expiration Date | Meets Criteria | | | | | |
| | | | | | | | | | |
| Food and Water Agreements | | | | | | | | | |
| | Name of Company | Date Signed | Expiration Date | Meets Criteria | | | | | |
| | | | | | | | | | |
| Pharmacy and Medical Agreements | | | | | | | | | |
| | Name of Company | Date Signed | Expiration Date | Meets Criteria | | | | | |
| | | | | | | | | | |
| Fuel Agreements | | | | | | | | | |
| | Name of Company | Date Signed | Expiration Date | Meets Criteria | | | | | |
| | Osmils Anna smants | | | | | | | | |
| Service Agreements (i.e., A/C unit, generator, etc.) | | | | | | | | | |
| | Name of Company | Date Signed | Expiration Date | Meets Criteria | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Reviewer Comments (MCEMA use only) | | | | | | | | | |
| E I | Evacuation Route Maps: | | | | | | | | |

Page 13



| | Maps of the evacuation routes and des get to a receiving facility | criptions of how to | | | | | | | |
|--|---|------------------------------|--|---------------------------------|----------|--|--|--|--|
| Reviewer Comments (MCEMA use only) | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| F | | | | | | | | | |
| Any additional material needed to support the information provided in the plan | | | | | | | | | |
| Reviewer Comments (MCEMA use only) | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| G. Emergency Management Required Documents | | | | | | | | | |
| | | | Indicate | Actual | Meets | | | | |
| CROSSWALK CRITERIA | | | Location (page #, section, tab) | Location (MCEMA Use Only) | Criteria | | | | |
| 2 | Copy of the facility's annual Life/Safety Inspection report from the | | | | | | | | |
| | local fire department (Fire Prevention). | | | | | | | | |
| | Date of Inspection: | | | | | | | | |
| *Must be dated within the same year of the review. | | | | | | | | | |
| Reviewer Comments (MCEMA use only) | | | | | | | | | |
| | | | | | | | | | |
| Facil | Facilities within Martin County, please mail, Facilities is within the City of Stuart, please mail, | | | | | | | | |
| email, or drop off to: | | email, or drop off to: | | | | | | | |
| Martin County Fire Rescue Administration | | City of Stuart Fire Marshall | | | | | | | |
| | | Fire Prevention | | | | | | | |
| 800 SE Monterey Road, 2 nd Floor 800 SE Martin Luthe | | | r King, Jr. B | lvd. | | | | | |
| Stuart FL 34994 | | Stuart FL 34994 | | | | | | | |
| Б | (770) 000 5000 | (770) 000 70 | 00 | | | | | | |
| Phone: (772) 288-5633 | | Phone: (772) 288-5360 | | | | | | | |
| Emai | Email: <u>fire_prev@martin.fl.us</u> Email: <u>fireprevention@ci.stuart.fl.us</u> | | | | | | | | |